

CITY OF PHILOMATH
Construction Drawing Review, Public Works Permit, Construction Requirements & Procedures

PWDS Appendix G
Construction Drawing Review,
Public Works Permit,
Construction Requirements & Procedures

•

..... P

WDS APPENDIX G PLAN REVIEW, PERMIT & CONSTRUCTION REQUIREMENTS & PROCEDURES..... 1

G.1 GENERAL..... 1

G.2 PURPOSE..... 2

G.3 CONTRACTING POLICY 2

G.4 DEFINITIONS AND TERMS..... 3

G.5 PERMITS REQUIRED, TYPES OF PERMITS 4

G.6 APPROVAL OF CONSTRUCTION DRAWINGS REQUIRED 8

G.7 PLAN REVIEW PROCESS AND REVIEW FEES..... 8

G.8 CONSTRUCTION PERMIT APPLICATION.....10

G.9 CONSTRUCTION PERMIT FEES.....11

G.10 CONSTRUCTION AGREEMENT & PERFORMANCE GUARANTEE12

G.11 CONDUCT AND PROGRESS OF THE WORK14

G.12 ADHERENCE TO AND EXHIBITION OF PERMITS15

G.13 EXPIRATION OR SUSPENSION OF PERMIT; STOP WORK ORDER; APPEAL.....15

G.14 NOTICE OF COMPLETION OF WORK, FINAL INSPECTIONS.....16

G.15 CITY POLICY FOR ACCEPTING NEW OR RECONSTRUCTED STREETS AND PUBLIC UTILITIES.....18

G.16 PENALTY; CONTINUING VIOLATIONS.....19

G.17 PRECONSTRUCTION CONFERENCE20

G.18 VARIANCES TO CONSTRUCTION STANDARDS.....20

G.19 CONSTRUCTION INSPECTION20

G.20 CONSTRUCTION SUBMITTALS.....20

G-1300 CONSTRUCTION SUBMITTALS..... 10 pgs

PWDS APPENDIX G
CONSTRUCTION DRAWING REVIEW, PUBLIC WORKS PERMIT,
CONSTRUCTION REQUIREMENTS & PROCEDURES

G.1 GENERAL

- a. These Public Works Construction Requirements and Procedures will be cited routinely in the text as the “Standards.”
- b. Wherever specific supplementary standards are indicated (ie. AWWA C-150, ASTM C-857), it shall be understood to mean the latest revision thereof.
- c. In interpreting these Standards, it is understood that: (1) if the context so requires: (a) the singular pronoun shall be taken to mean and include the plural pronoun; (b) the masculine pronoun shall be taken to mean the feminine and the neuter pronoun; and (2) all captions used therein are intended solely for the convenience of reference and shall in no way limit any of the provisions of these Standards.
- d. These Standards shall apply to all improvements within existing and proposed public right-of-way and public utility easements, to all improvements to be maintained by the City, and to all improvements for which the Development Code requires approval by the City, or which must be designed to meet the provisions of the Public Works Design Standards (PWDS). The provisions of these Standards are binding on contractors and developers in the performance of any work covered under the categories outlined above. Where minimum values are stated, greater values should be used whenever practical; where maximum values are stated, lesser values should be used whenever practical.
- e. Requests for variances to these Standards shall be based on the criteria and procedures outlined in Section 1.12 of the Public Works Design Standards (PWDS).
- f. In the case of conflicts between the text of these construction standards and the standard details in the PWDS, or between the provisions of these construction standards and the PWDS, the more stringent as determined by the Director of Public Works shall apply.
- g. All other utility improvements, including telephone, electrical power, gas and cable TV shall meet the current standards of the appropriate agency as well as City standards.
- h. Traffic Control Devices shall meet the standards of the current Manual on Uniform Traffic Control Devices, including Oregon amendments.
- i. All other work not covered by the above standards shall conform to the Oregon Standard Specifications for Construction (OSSC/ODOT/APWA), most recent edition.

G.2 PURPOSE

- a. The purpose of these Standards is to provide a consistent policy under which certain physical aspects of public utility construction will be implemented. Most of the elements contained in this document are Public Works oriented and most are related to the development or platting process. However, it is intended that they apply to both public and private work designated herein.
- b. These Standards cannot provide for all situations. They are intended to assist but not to substitute for competent work by experienced contractors. The Standards are also not intended to limit unreasonably any innovative or creative effort which could result in better quality, better cost savings, or both. Any proposed departure from the Standards will be judged on the likelihood that such variance will produce a compensating or comparable result, in every way adequate for the user and City resident.
- c. The objective is to develop Standards which will:
 - 1) be consistent with current City Ordinances and the PWDS.
 - 2) set forth uniform material and workmanship standards under which all public works facilities shall be constructed within the City.
 - 3) supplement and complete the requirements of the City's development ordinances, PWDS, and other prevailing ordinances as they relate to the physical construction of public works facilities within the City.
 - 4) clarify and streamline the administration and construction of public works facilities within the City.
 - 5) provide public and private utility improvements constructed in a manner to allow economical future maintenance.
- d. These Standards shall relate only to public works construction in the City and are not to be intended to replace building codes, development or zoning ordinances and other regulations for which procedures and standards have been established. Planning, zoning and related matters shall be satisfied prior to submitting an application for a public works construction permit.

G.3 CONTRACTING POLICY

- 1) The policy of the City for construction of public improvements covered under these standards requires that the contractor be registered with the Oregon Construction Contractors Board.

G.4 DEFINITIONS AND TERMS

- a. Unless otherwise defined in these Standards, the following definitions, terms and abbreviations shall apply whenever used.
- 1) City: The City of Philomath, Oregon.
 - 2) Construction drawings: Drawings prepared by a registered professional engineer, including site plans, plan and profile views of utilities, cross sections, detailed drawings, etc., or reproductions thereof, approved by the City Engineer, which show the location, character, dimensions and details for the work to be done.
 - 3) Contractor: Any individual, firm, co-partnership, corporation or any combination thereof who has or have been named on a public works construction permit as the person responsible for the construction of the subject work, or who have entered into a Contract with the City for a particular project.
 - 4) Cut Sheets: Construction submittals as required by Section G-01300 of these standards.
 - 5) Definition of Words: Wherever, in these Standards, the words directed, required, permitted, ordered, designated or words of like importance are used, they shall be understood to mean the direction, requirement, permission, order or designation of the Director. Similarly, the words approved, acceptable, satisfactory, shall mean approved by, acceptable to, or satisfaction to the Director.
 - 6) Design Engineer: The engineer licensed by the State of Oregon as a Civil Engineer under whose direction plans, profiles and details for work are prepared and submitted to the City for review and approval.
 - 7) Developer. The individual, organization, business, partnership or joint venture who is responsible for submitting plans for review and obtaining a Type A or Type B site/site/street/utility construction permit as required by these standards, or the applicant for such plan review and construction permits.
 - 8) Director: The Director of Public Works of the City of Philomath or his/her authorized representative.
 - 9) Easement: Areas along the line of public utilities that are outside of dedicated right-of-way. Easements shall be prepared on City forms granting rights along the public utility line to the City.
 - 10) Improvement: General term encompassing all phases of the work to be performed under the construction permit and is synonymous to the term project.
 - 11) Inspector: The authorized representative of the City whose instructions and decisions shall be limited to the particular duties and responsibilities entrusted to him/her in making detailed inspections of any or all portions of the work or

materials therefor.

- 12) Owner: The City of Philomath for projects initiated and contracted by, and paid for by the City. For any other project, the owner is the individual, firm, co-partnership, corporation or any combination thereof who has hired a Contractor to complete any public works project subject to these standards.
- 13) Plans: See Construction Drawings.
- 14) PWDS: Philomath Public Works Design Standards.
- 15) Right-of-Way: All land or interest therein which by deed, conveyance, agreement, easement, dedication, usage, or process of law is reserved for or dedicated to the use of the general public free of all encumbrances, within which the City shall have the exclusive right to install and maintain streets and public utilities.
- 16) Standard Details: The drawings of structures or devices commonly used on City work and referred to on the construction drawings. Also called Standard Plans. The Standard Details in these standards and in the PWDS shall apply to all public works construction within the City.
- 17) Survey Cut Sheets: Sheets of tabulated survey data, indicating stationing, structures, fittings, angel points, beginning of curve, points on curve, end of curves, staking offset, various elevations and offset utility cuts.
- 18) Work: All material, labor, tools, equipment, and all appliances, machinery, transportation, and appurtenances necessary to perform and complete the Contract, and such additional items not specifically indicated or described which can be reasonably inferred as belonging to the item described or indicated and as required by good practice to provide a complete and satisfactory system or structure.

G.5 PERMITS REQUIRED, TYPES OF PERMITS

- a. The following requirements and procedures apply to City Public Works construction permits. Any reviews and/or permits required by the County, ODOT or railroads (*where applicable*) are the sole responsibility of the design engineer and/or the development team, including payment for any associated permit fees, bonds or insurance. The City does not coordinate with (*or submit plans to*) the County, ODOT or the railroads on the developer's behalf (*for public works related permits*). The development team is responsible to comply with any requirements imposed by the County, ODOT or the railroads. Where County, ODOT or railroad requirements conflict with City requirements, the more stringent shall apply.
- b. No developer, person or organization (*other than the City of Philomath*) shall begin to construct, reconstruct, cut, excavate, repair, modify, alter, or grade any sidewalks, curb, curb-cut, driveway, street, or begin to lay and install any sanitary sewer, water mainline, storm sewer, including appurtenances or service laterals, or other private or franchise

utility within any public right-of-way or public utility easement within the jurisdiction of the City without first obtaining approvals from the Director of Public Works and the City Engineer as required by these standards, paying any required plan review and construction permit fees, depositing any required performance security, and obtaining a site/street/utility construction permit therefore as provided herein.

- c. Work for which a site/street/utility construction permit is required shall include, but not be limited to, the following. This list is not all inclusive. The intent is that any work covered under the Public Works Design Standards (PWDS) will require either a Type A or Type B Site/Street/Utility Construction Permit prior to construction.
- 1) Streets. A permit shall be required for any work on a public street, dedicated fire lane, sidewalk, curb, curb-cut, driveways and driveway approaches within a public right-of-way, or within an existing or proposed public easement or fire lane, including signs, traffic markings and traffic control devices.
 - 2) Storm Sewer. A permit shall be required for any work to lay and install any storm sewer and storm sewer appurtenances, detention systems, storm drainage improvements involving drywells or stormwater infiltration systems which require approval or permitting by DEQ, or storm drainage service lateral(s), or within any existing or proposed public utility easement.
 - 3) Sanitary Sewer. A permit shall be required for any work to lay and install any sanitary sewer pipeline and appurtenances, including sanitary sewer service lateral(s), within any public right-of-way or within any existing or proposed public utility easement.
 - 4) Water. A permit shall be required for any work to lay and install any water main and appurtenances, including water service lines and meter boxes, fire service lines or appurtenances, within any public right-of-way or within any existing or proposed public utility easement, or any other improvements attached to the City water system.
 - 5) Parking Lots, Private Streets, Common Use Driveways, Fire Lanes: A permit shall be required for any work on a parking lot, private street or common use driveway that takes access from a public City street, that discharges storm drainage to a public storm drain system, or that overlies a public sanitary sewer or water line, or for fire lanes required by the Fire District. A City utility/street construction permit is not required for the portion of single family residential driveways (*serving a single residence or duplex*) that is outside the public right-of-way or public utility easements.
 - 6) Site Grading and Filling. A permit shall be required for any site grading, filling or fill stockpiling operations as follows.
 - a) Projects that require site grading, filling or fill stockpiling operations associated with development of the property other than those operations directly associated with the construction of a structure for which a valid

building permit has been issued by the City.

- b) Site grading, filling or fill stockpiling operations over existing public sanitary sewer, storm drain or water distribution lines, or such operations within existing or proposed public utility easements.
- 7) Street Closure. In the event any of the above activities, or any activities related to the construction of a building, structure, or parking lot, which requires the temporary closure of a street, alley, lane of traffic, or sidewalk to vehicle or pedestrian flow, a permit shall be obtained from the City for said closure.
- 8) Franchise Utilities. A permit covering any work on underground franchise utilities within any improved area of any public street, including sidewalks, or within any existing or proposed public utility easements. Permits will not be required for work on overhead or above grade franchise utilities which do not involve excavation within the areas specified herein.

d. Type A Public Works Permit

- 1) Work for which a Type A Site/Street/Utility Construction Permit is required shall include the following.
 - a) Any sidewalk, driveway approach or utility service improvements to serve a single residence, duplex or business for which public street or mainline utility improvements are not required, and that do not include construction or reconstruction of parking lots, private streets, fire lanes or common use driveways other than for duplexes.
 - b) Utility work by franchise utility companies that does not require pavement cuts longitudinally along a street shall require a Type A permit (*including installation by boring along or across a public right-of-way or City utility easement, unless the Public Works Director determines that the scope of the proposed installation requires review by the City Engineer, in which case a Type B permit will be required*). Such work shall be exempt from permit fees to the extent provided by Section G.9(e) herein.
- 2) An improvements agreement and performance security shall be executed as specified in Section G.10 herein.

e. Type B Public Works Permit.

- 1) Work for which a Type B Site/Street/Utility Construction Permit is required shall include the following.
 - a) Any street, sidewalk or utility improvement to serve more than a single residence, duplex or business, or for which public street or mainline utility improvements are required (*including fire hydrants or dedicated fire sprinkler services*), or that include parking lots, private streets, fire lanes

or common use driveways other than for duplexes, or which includes storm drainage improvements involving drywells or stormwater infiltration systems which require approval or permitting by DEQ, or which serve more than a single residence, or which serve commercial / industrial / public developments.

- b) Installation of service laterals for multiple properties within a common trench, or installation of service lateral(s) across property other than that being served.
- c) Site Grading & Fills.
 - (1) Projects that require site grading, filling or fill stockpiling operations associated with development of the property other than those operations directly associated with the construction of a structure for which a valid building permit has been issued by the City.
 - (2) Site grading, filling or fill stockpiling operations over existing public sanitary sewer, storm drain or water distribution lines, or such operations within existing or proposed public utility easements.
- d) Utility work by franchise utility companies that requires pavement cuts longitudinally along a street shall require a Type B permit (*for subdivisions or other development which obtains a Type B permit for the overall project, a separate permit will not be required for franchise utility work directly associated with the issued Type B permit for the development*). Work by franchise utility companies which is not associated with such a development project shall be exempt from permit fees to the extent provided by Section G.9(e) herein.
- f. If there are classes of work not specifically covered herein but that are included under the scope of the Public Works Design Standards, the determination of the type of permit required shall be made by the City Manager after consultation with the Public Works Director and the City Engineer.
- g. Approval of Construction Drawings is required prior to obtaining a permit or beginning construction.
- h. Approval of plans by the City Engineer or City Public Works for issuance of a City Public Works street/site/utility construction permit does not relieve the developer, contractor or engineer from obtaining any and all reviews and permits required under the building, plumbing or electrical codes that any portions of the work may be subject to, or from any requirements under County, ODOT or other agency permits or approvals required for the project.
- i. Any construction permit issued by the City is considered to be a “written contract” for

purposes of triggering “additional insured” coverage of the City and City Engineer under the Contractor’s required insurance policy(s).

G.6 APPROVAL OF CONSTRUCTION DRAWINGS REQUIRED

- a. Construction drawings (*plans*) shall be submitted for review and approval prior to issuance of permits required by these Standards. Type A Permits shall have the written approval of the Public Works Director or his designated representative prior to issuance of the permit. In addition to written approval by the Public Works Director, Type B Permits shall have the written approval of the City Engineer. For subdivisions and other developments requiring improvements to public streets and/or multiple public utility systems, construction drawings for sewer, water, streets, and storm drains shall be submitted simultaneously to facilitate checking for conflicts.
- b. Construction drawings submitted for approval shall be subject to the standards, specifications, policies and procedures, construction drawing review, and permit fees of the Public Works Department in effect at the time of application or reapplication for construction drawing review.
- c. Except as provided in Subsection (d) of this section, such construction drawing approval shall be void upon expiration of six months from the date of said written approval in Subsection (a) of this section if a Type A or Type B permit is not obtained and work commenced on the project. Resubmittal of construction drawings will require that they be updated to reflect current City standards.
- d. Upon a written verification that the facts upon which the plan approval was based have not changed to an extent sufficient to warrant a new review of construction drawings, the plan approval may be extended for a period not to exceed 6 additional months. Written verification for Type A permits shall be provided by the Public Works Director, while verification for Type B permits shall be by both the Public Works Director and the City Engineer. No more than two such six month extensions shall be granted for any one development or project, resulting in a maximum time extension of one year. Reapplication for construction drawing review must be made with the Public Works Director or his designated representative upon expiration of said six month period in Subsection (c) of this section, or extension periods provided herein, if the permit is not issued within said approval or extension period.
- e. All plans, reports, or documents for public utility improvements required by these standards or the City development ordinances or other City ordinances shall be prepared by and certified by a registered professional civil engineer licensed by the State of Oregon.

G.7 PLAN REVIEW PROCESS AND REVIEW FEES

- a. All construction drawings (*plans*) for Type A or Type B permits shall be reviewed in general conformance with the procedures outlined in PWDS Section 1.9 , including providing preliminary drawings and scheduling a pre-design meeting (*per PWDS 1.9.a*)

between the developer's engineer and Public Works (& City Engineer as applicable) to receive input regarding design issues related to required improvements.

The submittal for construction drawing review shall include payment of any required review fees and/or deposits (*filed by the responsible party on the development team*) to the City Recorder for any permit or permits required by these standards.

In addition to requirements, documents and information listed under PWDS 1.10.b (*full list is not reproduced here*), such submittal for construction drawing review shall include the following as applicable.

- 1) Name and address of the owner or owners of the property;
- 2) Name and address of the developer of the property;
- 3) Name, address, and phone number of the designer (*design engineer for public improvements*);
- 4) Description of the work area location, including addresses as applicable;
- 5) Preliminary plans (*3 sets for single family residential developments, and 4 sets for commercial, industrial and multifamily developments*) showing a vicinity map and details of the proposed project, including street widths and property lines, existing and proposed utility locations. In the case of public improvements, preliminary plans shall include all applicable information outlined under PWDS 1.10.
- 6) Estimated construction cost of the proposed project, or estimates based on the construction cost estimate schedule established by the Public Works Director or the City Engineer.
- 7) Plan review fees as prescribed by resolution of the City Council (*for franchise utilities, see Section G.9e*).
- 8) Review fees required in Subsection (7) of this section are required to support permit plan review and shall be implemented as follows.
 - a) Mandatory pre-design meeting with a non-refundable fee due at the time of the meeting (*fee set by resolution of the City Council*). This fee will be applied towards the plan review fee.
 - b) A plan review fee payment based on a percentage (*to be set by resolution of the City Council*) of the initial engineer's estimate of all construction work related to the project (*ie. all work covered under the PWDS*), less the pre-design meeting fee, is due at submission of the engineered construction drawings for review (*see also PWDS 1.10.b.13 for costs to be included in the estimate*).

- c) Monthly billings of any City costs exceeding the plan review fee payment, payable within 30 days.
 - d) Final reconciliation of project review and inspection costs, including City Engineer review & inspection costs and Public Works staff expenses, will be determined at project completion. Any final balance due the City must be paid before City approval and/or acceptance of the project. If a refund is due, the City will issue the refund within 30 days of provisional acceptance of the improvements by the City.
- 9) Evidence that all federal and state laws and regulations have been complied with, including a copy of any permits required by federal, state, or county agencies.
 - 10) A current title report(s) covering all property where utility construction will occur (*which includes a list of all existing easements, restrictions, and other encumbrances, including copies of deeds, easements or other restrictive documents referenced in that report*) [a pdf copy of each title report with embedded hyperlinks to the referenced documents may be provided in lieu of a hard copy].
 - 11) Such other information as the Director of Public Works shall find reasonably necessary for the determination of whether plans should be approved for permit.

G.8 CONSTRUCTION PERMIT APPLICATION

- a. Application Form. Following review and approval of the plans by the City, an application for a construction permit as required by these standards shall be filed with the Director of Public Works. Such applications shall be in the form prescribed by the City and shall include the following information as a minimum:
 - 1) Name and address of the owner or owners of the property.
 - 2) Name and address of the developer of the property.
 - 3) Name and address of the designer (*design engineer for public improvements*).
 - 4) Name and address of the party doing the work, including subcontractors.
 - 5) Location of the work area, including addresses as applicable.
 - 6) Recorded copies of all required all required off-site easements and off-site right-of-way dedications (*as well as on-site easements and on-site right-of-way dedications, and any recorded maintenance agreements required by City standards, except as allowed under PWDS 1.9.i.3*).

b. Supplemental Information Required. Prior to issuance of the public utility construction permits, the Developer shall provide the City with the following (*see also PWDS 1.9(h)*):

1) Copies of the final revised (*approved*) plans for stamping by the City as follows:

- Type B permit, six (6) sets
- Type A permit or franchise utility improvements, 4 sets

For Type B permits, the City will keep four (4) sets of approved construction drawings and return the remainder to the development team. Additional sets may be submitted for stamping at the Developer's request.

2) **Other information & documentation as summarized under PWDS 1.9.i.**

3) Such other information specific to the project as the Public Works Director or the City Engineer shall find necessary for the determination of whether a permit should be issued therefor, including evidence that all applicable City, County, state and/or federal laws and regulations have been or will be complied with.

G.9 CONSTRUCTION PERMIT FEES

a. Accompanying the application required by these standards shall be a construction permit fee as prescribed by resolution of the City Council.

b. See PWDS G.7.a.8 for summary of review & permit fees required by these standards, and required to support permit issuance, testing, and inspection.

c. In computing the construction permit fees, the estimated value of proposed construction shall be comparable with current bid prices for City contract projects, and shall approved by the City prior to issuing the permit.

d. Work being done under contract with the City shall be exempt from permit fees.

e. Work being done by franchise utilities shall be exempt from permit fees to the extent provided by the franchise agreements with the City.

f. Work without Permits. Where work for which a permit is required by these standards is commenced or proceeded with prior to obtaining said permit (*or after said permit has expired or been suspended*), the construction permit fees specified in Subsection (a) of this section shall be doubled, but the payment of such double fee shall not relieve any person from fully complying with the requirements of these standards and other applicable City codes, standards and ordinances in the execution of the work nor from any other penalties prescribed herein, nor shall it obligate the City to accept any work so performed without a valid permit.

g. Permits required by these standards shall be non-transferable. Any change in applicant, such as a subdivision sale, will require re-application for permit. If six months has elapsed since plan approval, reapplication for plan review shall be made. If previous plan

review payment provided by the applicant is insufficient to cover the costs of the new review, the City may assess an additional review fee which will, in the opinion of the City Manager, cover the estimated cost for the new review.

G.10 CONSTRUCTION AGREEMENT & PERFORMANCE GUARANTEE

- a. Except as otherwise provided below, a performance guarantee shall be provided for all work for which a Type A or Type B permit is required. Depending on the type of project, the performance guarantee may consist of a restriction on the issuance of a building permit(s), a restriction on the recording of a plat, or a financial security. Acceptable performance guarantees shall be as outlined below for the different classes of project listed.
- b. Work being done by franchise utilities shall be exempt from performance guarantee requirements only to the extent provided by the franchise agreements with the City.
- c. Type A permit. The performance guarantee may consist of one of the following, and shall be in a form as required by the City.
 - 1) An agreement with the City whereby building permits will not be issued until all improvements within the public right-of-way or utility easements are completed and approved by the City.
 - 2) If a building permit is requested before all improvements within the public right-of-way or utility easements are completed and approved by the City, the developer shall provide a financial security acceptable to the City to guarantee the completion of all work covered under the permit. The financial security shall be 120% of the estimated construction cost, or \$500, whichever is greater, and may consist of cash, or it may be a bond or irrevocable letter of credit as outlined in Subsection d(4) below. Occupancy of structures and permanent connection to City water and sewer service will not be allowed until all permitted improvements have been completed and approved by the City.
- d. Type B permit. Before the issuance of a Type B construction permit, the applicant shall execute the City's standard Developer-City Construction Agreement that certifies that all improvements will be constructed in conformance with all City standards and ordinances and all conditions of construction permit approval will be satisfied (*ie. plan approval required prior to execution of the construction agreement*). In addition to the construction agreement, the developer shall provide a performance guarantee consisting of one of the following in a form as required by the City.
 - 1) Work Within Existing Improved Rights-of-Way, or Work on Existing Public Utilities. Except for work being performed under public contract for the City of Philomath or Benton County, a financial security shall be provided to the City as outlined under Subsection d(4) below for all work within existing developed rights-of-way. The financial security shall specify a timeframe, acceptable to the City, by which the work shall be completed and the existing streets, facilities and

improvements are restored to pre-existing or better conditions.

- 2) Work Outside Existing Improved Rights-of-Way (except Work on Existing Public Utilities).
 - a) Subdivisions. An agreement with the City that the final plat for the subdivision will not be approved nor recorded until all improvements have been completed and accepted by the City, or all improvements have been substantially completed and a financial security has been provided as outlined in Subsection d(4) below.
 - b) Partitions. An agreement with the City that no building permits for any structures within the partition will be issued until all improvements have been completed and accepted by the City, or all improvements have been substantially completed and a financial security has been provided as outlined in Subsection d(4) below.
 - c) Other than Subdivisions and Partitions. An agreement with the City whereby occupancy of structures and permanent connection to City water and sewer service will not be allowed until all permitted improvements are completed and approved by the City.
- 3) Upon provision of a performance guarantee as outlined herein, building permits for on-site private work can be obtained for commercial, industrial & multi-family projects. Permanent connection to City water and sewer service will not be allowed until all public improvements are completed, and all on-site improvements are completed or bonded to guarantee all improvements will be completed in accordance with the approved drawings, City Standards and specifications.
- 4) Financial Security. The financial guarantee for a Type B permit may consist of one of the following, and shall be in a form as required by the City. The amount of the security guarantee shall not be less than \$500 or the amounts specified below, whichever is greater.
 - a) A surety bond executed by a surety company authorized to transact business in the State of Oregon, in a form approved by the City Attorney. The amount of the performance surety bond shall be as established by the Director of Public Works, but shall not be less than 120% of the estimated construction cost of required improvements, as verified by the City. The performance surety bond shall insure the full and faithful performance of all proposed work and shall guarantee that the applicant will conform to all provisions of the construction agreement, if any, and immediately upon the completion of work, remove all surplus earth, rubbish or other material, replace or restore all existing streets, utilities and landscaping to a condition as good as or better than existed prior to the work.

- b) An irrevocable letter of credit assigned to the City of Philomath in an amount equal to 120% the estimated construction cost of required improvements, as verified by the City. The letter of credit shall be subject to the same conditions as set forth above in the case of surety bonds.
- 5) If the applicant fails to complete all improvements for which a performance surety bond or letter of credit were provided, the City shall estimate the cost of completing any required improvement, call on the bond or letter of credit for the funds necessary to complete the improvement, and complete the improvement to the extent of the funds obtained upon call of the bond or letter of credit. If the amount obtained is insufficient to complete the improvement, the City may either hold the collected funds until additional funds are authorized for the improvement or expend the collected funds on a revised improvement or on a portion of the improvement as determined reasonable by the Director of Public Works.

G.11 CONDUCT AND PROGRESS OF THE WORK

- a. All work under said permits shall be completed in conformity with the provisions of these standards, the terms of the applications and construction permits, and under the supervision and subject to the approval of the Public Works Director. Immediately upon completion of work, all surplus earth, debris, rubbish or other materials shall be removed immediately and the street and utilities restored to a condition as good as or better than existed prior to the work.
- b. Timeframe for Restoration of Existing Street Surfaces.
 - 1) Unless authorized in writing by the City Manager prior to the start of the work, no work within any existing public roadway shall disrupt traffic flow for more than 14 consecutive days.
 - 2) Unless authorized in writing by the City Manager prior to the start of the work, trenching within existing paved streets shall be backfilled and repaved within 14 days of the start of excavation unless the trenches are plated or repaired with cold patch. In addition, trenching within existing major streets (*arterial, collector or commercial-industrial streets*) shall be plated or repaired with cold patch at the end of each work day. This requirement shall apply to work within existing paved streets that are will later be reconstructed as part of the project. Failure to maintain any temporary cold mix trench patching in a smooth condition will result in the City requiring the cold mix to be removed and replaced with hot mix AC for temporary patching. Such replacement shall occur within 4 working days of written notice by the City.
 - 3) Unless authorized in writing by the City Manager prior to the start of the work, the timeframes specified herein shall apply independently and separately to each block or intersection where trenching work occurs. In all cases, trenches within each block or intersection shall be permanently repaved within 21 days of the start of excavation, except where the street will be reconstructed as part of the project.

- c. The contractor is responsible for the coordination with the various utilities and agencies during construction.

G.12 ADHERENCE TO AND EXHIBITION OF PERMITS

- a. No work shall be undertaken other than that specified in the application and permit for the particular cut or excavation. Upon demand of the Director of Public Works or his designate or any city police officer, the permits shall be produced at the place where the work is in progress, or such work will be stopped until the permit is produced.

G.13 EXPIRATION OR SUSPENSION OF PERMIT; STOP WORK ORDER; APPEAL

a. Expiration of Permit

- 1) A Type A or Type B site/street/utility construction permit shall lapse if construction for which the permit was issued has not commenced within ninety (90) days of the date of issuance.
- 2) To reinstate the permit, the applicant shall submit a written request for reinstatement to the Public Works Director giving the reasons for failure to begin construction, pay a reinstatement fee and provide a date when construction will be commenced.
- 3) In reinstating the permit, the Public Works Director and/or the City Engineer may impose additional requirements or conditions deemed necessary for the project to conform to current City standards.

b. Suspension of Permit

- 1) At any time after the issuance of a construction permit required by these standards, the Public Works Director may suspend the same upon a finding that any of the following grounds exist:
 - a) False, misleading, or erroneous data or information submitted by the applicant in connection with securing the permit.
 - b) Materials or workmanship do not meet specification for the construction or installation of the permitted improvement; or construction or installation varies from the approved plan or design of the improvements.
 - c) Violation of any of the provisions of the City development ordinances governing the work being done under the permit.
- 2) Upon suspension of a construction permit as provided herein, the Director shall cause to be issued a written "stop work order," one copy of which shall be sent by regular mail to the permittee at the address shown on the permit application, one copy of which shall be sent by regular mail to the permittee's engineer overseeing

the work, if known, and one copy of which shall be personally delivered to the person in charge of any work in progress.

- 3) It shall be unlawful for any person to cause, suffer, or permit any work to be done for which a permit is required by these standards when a "stop work order" has been issued as provided in Subsection (b) of this section. The City will not accept any work performed after delivery of the "stop work order" to the person in charge of work in progress at the project site.
- 4) An applicant whose permit has been suspended may appeal such action to the City Manager through the City's established appeal process. Notwithstanding the provisions for appeal to the City Manager, the filing of an appeal shall not stay the effect of a "stop work order" issued under Subsection (b) of this section.

G.14 NOTICE OF COMPLETION OF WORK, FINAL INSPECTIONS

- a. Within 3 business days of completion of the work for which a permit was required under these standards, all in accordance with the approved construction drawings and City standards, the person or organization to whom the permit to do such work was issued shall submit written notice to the Public Works Director (*Type A permits*) or the City Engineer (*Type B permits*) stating that the work has been completed and give such other information as may be required by the City, and request a preliminary final inspection of the work.
- b. As a minimum, the following must be submitted to the Public Works Director or the City Engineer as applicable prior to the preliminary final inspection.
 - 1) All exterior property pins and street monumentation set (*partitions & subdivisions*).
 - 2) All set property pins exposed and all property corners marked with lath (*partitions & subdivisions*).
 - 3) All easement limits (*except PUEs parallel with r/w*) marked with labeled lath.
 - 4) Paper copy of as-built drawings submitted to City Engineer a minimum of 48 hours prior to final inspection, including distance ties to all utility stub ends.
 - 5) Written copies of all required utility test reports (*compaction, mandrel, pressure, vacuum, etc*), as well as video tapes of any required pipeline TV inspections.
 - 6) Completion report from design engineer including written copies of all utility test reports (*compaction, mandrel, pressure, vacuum, etc*), as well as inspection reports of any required TV inspections. Submitted compaction tests shall include certification of engineered fills, baserock and AC pavement tests for streets and trench patching, as well as soil compaction results for all lots with fills.
 - 7) Certification that the areas within the building envelopes of all lots conform to

compaction requirements of the applicable Oregon Building Code.

- c. Any corrective work items identified during the preliminary final inspection (*ie. punchlist items*) shall be completed prior to the City's conditional acceptance of any of the public streets or utilities. Failure by the City to include items on the preliminary punchlist shall not, in any way, relieve the contractor from any obligation to perform the work in strict compliance with the approved plans and City standards. Additional items discovered during subsequent inspections must be corrected prior to provisional acceptance of the improvements by the City.
- d. Upon completion of all corrective work to the satisfaction of the Public Works Director and the City Engineer, including a final inspection by the City, the developer shall provide the following prior to provisional acceptance of the public improvements by the City.
 - 1) Full-size blackline as-built drawings (*based from an as-built survey as applicable*) for Type B permitted improvements, as well as a CD with as-builts in electronic format. Full-size blackline paper as-built drawings for Type A permitted improvements.
 - 2) Acceptable Maintenance Bond (*or other security acceptable to the City*) valued at a minimum of 40 percent of the estimated construction costs for the public portion of the improvements constructed under the Public Works permit, as well as portions of the private improvements as noted under G.15.
 - a) Bond periods shall conform with the minimums noted under G.15.d, unless longer periods are required by the City as noted under G.15.d.5.
 - b) The warranty period shall not commence prior to provisional acceptance of the public improvements by the City.
 - 3) Photocopies of any recorded easements required in conjunction with the improvements, except for on-site easements that will be recorded after the plat is recorded.
 - 4) Other items required as conditions of the land use planning approval, where applicable.
- e. In no case shall the City issue written provisional acceptance of the work until as-built drawings (*for public improvements*) and maintenance bonds (*if required*) are submitted to and accepted by the City. Final acceptance by the City shall not occur until the end of the warranty period.

G.15 CITY POLICY FOR ACCEPTING NEW OR RECONSTRUCTED STREETS AND PUBLIC UTILITIES

- a. The City will accept developer-built public street, sanitary sewer, storm sewer and water distribution improvements constructed in conformance with the City Public Works Construction Standards subject to the following procedures.
- b. After construction of the total project has been completed, all final inspections have been completed, and all required maintenance bonds and as-builts have been submitted and accepted by the City and any outstanding plan review or permit fees have been paid (*and after other items under G.14 have been provided*), the Public Works Director or the City Engineer will provide a memo to the City Manager recommending that the City provisionally accept the public street, sanitary sewer, storm drainage and/or water system improvements, with final acceptance to occur at the end of the warranty period.
- c. 40% Maintenance/Warranty Bonds.
 - 1) Maintenance Bonds (*or other security acceptable to the City*) shall be provided by the Contractor or the Developer for the public portion of the improvements constructed under the Public Works permit, as well as portions of the private improvements as noted below, valued at a minimum of forty percent (40%) of the applicable construction costs.
- d. Warranty & Bond Periods/Coverage.
 - 1) Warranty and Maintenance Bond periods shall commence upon the date of the notice of provisional acceptance by the City, with final acceptance to occur at the end of the warranty period. The warranty and maintenance bond periods shall be as summarized below.
 - 2) One (1) year from provisional acceptance by the City of the applicable public sanitary sewer, storm drainage and/or water improvements (*as well as detention systems, water quality facilities & structures, portion of fire service lines located within the public right-of-way or City utility easements, etc.*), but excluding any other improvements which are listed by the PWDS as “special items” for design (*see PWDS 2.3, 3.3, 4.3 & 5.3*).
 - 3) Two (2) years from provisional acceptance by the City of the applicable public street/public sidewalk/street light improvements (*as well as box culverts, trench paving, driveway approaches, designated fire lanes, common use driveways, common use private streets, private sewer pump stations, metering/monitoring*

manholes, etc.), and also including other improvements which are listed by the PWDS as "special items" for design (see PWDS 2.3, 3.3, 4.3 & 5.3).

- 4) Any damage to the covered improvements during the warranty period shall be corrected prior to final acceptance by the City and release of the warranty and/or bonds, regardless of the cause of the damage.
 - 5) The required warranty and bond period may be extended at the discretion of the City Manager if the Public Works Director or the City Engineer identify construction materials or methods that differ from City standards, but which the City does not require to be removed and replaced.
 - a) This authority granted to the City Manager shall in no way obligate the City to accept any work that is not constructed in full conformance with the approved plans and these standards, nor shall it be construed as establishing a precedent.
- e. Prior to the end of the warranty and bond period, Public Works and/or the City Engineer will make warranty inspection(s) and investigations as deemed necessary by the City to identify any defective work that must be corrected prior to final acceptance of the improvements by the City. The developer will be notified in writing of any required corrective work.
- 1) All required corrective work shall be completed by no later than 21 days from the date of such written notification.
 - 2) Any delay in correcting the identified deficiencies will result in a delay in final acceptance by the City, and release of any warranty or bonds.

G.16 PENALTY; CONTINUING VIOLATIONS

- a. Failure to comply with any provision of these standards, or with any restrictions or conditions imposed hereunder, or failure to comply with the conditions of a construction permit issued by the City, shall subject the person, firm or corporation who violates, disobeys, omits, neglects, or refuses to comply with any of the provisions of these standards to civil penalties as prescribed herein.
- b. Offenses defined in these standards shall be punishable by a fine not to exceed \$250 per violation. Each and every day a violation is permitted to exist shall constitute a separate offense.
- c. A violation of the provisions of these standards is declared to be an offense, but not a crime. It is intended to be an offense which can be disposed of in all respects as a civil proceeding and not governed by procedural, evidentiary, substantive, and constitutional rules applicable to criminal charges and proceedings. A person adjudged responsible for an infraction shall not be deemed "guilty" of the infraction and a judgment of responsibility shall not be deemed a "conviction" for any purpose.

- d. Notwithstanding anything in this section or any other ordinance to the contrary, no greater penalty shall be imposed for any violation of city ordinance than the maximum penalty prescribed under Oregon statute for the same act or omission.

G.17 PRECONSTRUCTION CONFERENCE

Requirements relating to the Preconstruction Conference are outlined in Section 1.13 of the Public Works Design Standards (PWDS).

G.18 VARIANCES TO CONSTRUCTION STANDARDS

Requests for variances to these Standards shall be based on the criteria and procedures outlined in Section 1.12 of the Public Works Design Standards (PWDS).

G.19 CONSTRUCTION INSPECTION

Construction inspection shall generally conform to the procedures outlined in Section 1.14 of the Public Works Design Standards (PWDS).

G.20 CONSTRUCTION SUBMITTALS

- a. Construction submittals for materials & equipment incorporated into the work shall generally conform to the requirements outlined in Section G-01300 attached hereto.

SECTION 01300
CONTRACTOR CONSTRUCTION SUBMITTALS

PART 1: GENERAL

1.1 SCOPE

- a. Construction submittals for review by the City are required for all material & equipment which is incorporated into work covered under the PWDS or which will be turned over to the City for operation and maintenance, including but not limited to streets/sidewalks, water/sewer/storm drainage improvements, pump stations, treatment facilities (water, sewer or storm), storage reservoirs, bridges, etc.
- b. Delivery prior to approval of any material or equipment for which submittals are required will be at the Contractor's risk. Material or equipment for which submittals are required shall not be incorporated into the work until after the submittals have been reviewed and approved.
- c. Construction Submittal Format & Number of Copies.
 - 1) Contractor will be allowed to provide electronic/pdf copies of highlighted/marked-up submittals and associated submittal cover sheet, conditional upon submittals being complete and configured in accordance with the requirements of this section.
 - 2) If the Contractor fails to provide submittals in full conformance with this section, the Public Works Director and/or City Engineer may require all subsequent submittals to be submitted in hard copy format (three copies minimum).

1.2 GENERAL SUBMITTAL REQUIREMENTS

- a. Review by Engineer-of-Record Required.
 - 1) Unless otherwise approved in writing by the Public Works Director, all submittals to the City (*with the exception of the laboratory and test reports*) shall be first reviewed by the Engineer-of-Record, who is responsible to verify that the submittals conform with the approved design and with PWDS requirements before they are forwarded to the City for review. Direct submittals from contractors, subcontractors or suppliers will not be accepted by the City unless otherwise noted herein.
 - 2) Prior to submitting to the Engineer-of-Record, the Contractor shall carefully review the correctness and thoroughness of the material, verify all field measurements, and coordinate all aspects of each item being submitted.
 - 3) The Contractor shall carefully review and ensure that all submittals are tailored to the project by highlighting appropriate information and/or deleting or crossing out non-applicable information, and that all options and equipment furnished are indicated, and ensure that the submittal is otherwise organized and marked as required herein or in the individual specification sections as applicable.
 - 4) **The Contractor shall verify his review by affixing his stamp of approval and signature to the front page of each submittal package.**
- b. Direct Supplier/Subcontractor Submittals Not Accepted. All submittals to the City, with the exception of the laboratory test certificates, shall be made only after review by the Engineer-of-

Record. Submittals from subcontractor or suppliers will not be accepted.

- c. Sequential Numbering. All submittal reports shall be numbered sequentially. Resubmittals shall be designated with the same number as the original submittal followed by a designation letter (ie. Submittal "5A" for the first resubmittal of submittal 5, Submittal "5B" for second, etc.).
- d. Specified Cover Sheet. All submittals shall be accompanied by a completed copy of the submittal report cover sheet included under Part 4 of this section.
 - 1) A separate submittal report cover sheet shall be prepared for each submittal. Generally, items under a single PWDS division can be included on the same submittal report. Each submittal report shall clearly designate the PWDS division & section(s) that apply to the material or equipment being submitted on.
 - 2) A single submittal report shall not be used for items under different PWDS divisions.
 - 3) All submittal report cover sheets shall reference the item(s) that it covers, the applicable PWDS division & section(s), the Contractor's name, the Project title and location, and the date of submission. Submittal shall also indicate whether the information is for review and approval by the City, for record purposes or for the fulfillment of the operation and maintenance requirements.
- e. The Contractor shall provide copies of each submittal as follows unless otherwise directed by the City:
 - 1) Material and Equipment Construction Submittals – Four (4) copies provided to City if pdf submittals are dis-allowed as noted above.
 - 2) Quality Control Submittals – The Contractor or the laboratory shall submit one copy of all test certificates, and calibration certificates directly to the following; Public Works Director and City Engineer.
 - 3) Informational Submittals – The Contractor shall submit one copy of all licenses and permits directly to the following; Public Works Director and City Engineer.
- f. Substitutions. Manufacturers submitting proposals for equipment which will require changes to the design shown on the Drawings or specified herein shall also include detailed information on structural, electrical, mechanical and other miscellaneous changes or modifications required to adapt their equipment to the design shown, or as specified below. Provision of such information or acceptance for review shall not be construed as approval of such substitute.
- g. Highlighting and/or Marking. All submittals shall be tailored to the project by highlighting appropriate information and/or deleting or crossing out non-applicable information (*as well as being marked, labeled or identified with where the product will be used, as applicable*). All options and equipment furnished shall be so indicated.
- h. Complete Submittals Required. Failure to provide complete submittals, or failure to follow the instructions outlined in this section (*including but not limited to highlighting applicable information and/or crossing out non-applicable information*), will result in the incomplete submittal being returned to the Contractor without review, at the discretion of the City Engineer or the Public Works Director.

1.3 MATERIAL AND EQUIPMENT SUBMITTALS:

a. Variances Shall be Noted.

- 1) The Contractor and/or Engineer-of-Record shall indicate on the submittals all variances from the requirements in the PWDS or on the Drawings. Failure to note variances from the specification requirements may result in the submittal being returned to the Contractor without review.
- 2) If the proposed equipment includes modifications from standard features or options typically provided by the manufacturer for similar applications, these shall be clearly noted on the submittal.

b. Material & Equipment Submittals. Submittals for all materials and equipment used by the Contractor in the performance of the work shall include the following as applicable.

- 1) Manufacturers' Literature: Literature indicating the compliance of the product with the Specifications shall be included with all submittals. This shall include catalog sheets and other descriptive bulletins. Manufacturer's literature shall also include, but not be limited to the following:
 - a) Manufacturer's catalog data
 - b) Materials of construction
 - c) Manufacturer's name and model number
 - d) Installation instructions and drawings
- 2) Manufacturers' or Suppliers' Certificates: Certificates shall state that the products have been sampled and tested in accordance with the proper industrial and governmental standards and meet the requirements of the approved design and the PWDS. An authorized agent of the manufacturer shall sign certificates.
- 3) Design Data: Design data shall include the calculations, supporting theories, safety factors and assumptions used in designing the product.
- 4) Samples: Samples shall be provided as required by this section or if noted on the drawings. Samples shall be of the precise material proposed to be furnished. The number of samples and sample size shall be of the industry standard unless otherwise stated.
- 5) Shop Drawings: Shop drawings shall include the following as applicable to the equipment or system along with any special requirements listed in the PWDS, approved drawings or directive from the Public Works Director:
 - a) Scaled details
 - b) Scaled dimensional drawings
 - c) Sectional assembly drawings
 - d) Fabrication information
 - e) Wiring schematics with termination point identification if applicable.
 - f) Motor information if applicable.
 - g) Piping schematics if applicable.

1.4 SUBSTITUTIONS

- a. Substitute items of material or equipment are those items which are determined by the Public Works Director NOT to qualify as an “or equal”, or which require any level of redesign work to incorporate into the project.
- b. Submittals for substitute materials or equipment shall include but not be limited to manufacturer's literature, design criteria, dimensions and installation instruction.
- c. The submittal shall include any certifications or test results required to demonstrate that the proposed materials or equipment meets the requirements of the specifications and is equivalent or better than the specified materials or equipment.
- d. If the substitution requires a change in the design (*including dimensional changes to any structure or other component*), the submittal shall include all pertinent design information and details for the required design change, with supporting documentation.

1.5 QUALITY CONTROL SUBMITTALS

- a. Quality Control submittals are defined as those required by the PWDS to present documentary evidence to the City that the Contractor has satisfied certain requirements of the approved drawings or the PWDS. Such submittals may include but are not limited to:
 - 1) Laboratory Certificates: Certificates shall include the results of tests by an independent laboratory for comparison to Specification requirements, mix design data and approval, plan inspection reports and certification, and other required information from the laboratory. All information submitted shall be signed by an authorized agent of the laboratory.
 - 2) Installation and Calibration Certificates: Certificates shall be submitted for equipment as indicated in the individual sections. These certificates shall indicate manufacturer's satisfaction with the installation, the accuracy of calibration and alignment, and the operation of the equipment. An authorized agent of the manufacturer must sign such certificates.

1.6 INFORMATIONAL SUBMITTALS & SUBMITTALS FOR RECORD

- a. Informational submittals formalize the flow of information between the Contractor and the City. Such submittals may include but are not limited to:
 - 1) Construction Schedules: Unless otherwise specified, the Contractor shall submit construction schedules as required in the PWDS.
 - 2) Licenses and Permits: The Contractor shall obtain all licenses and permits required by Local, State and Federal laws and submit copies of them to the City, including but not limited to the following.
 - a) Copies of all construction permits and licenses required by all approving agencies, including as applicable cities, counties, state agencies, utility service districts, etc.
 - b) Copies of all structural, electrical, mechanical, and plumbing permits (as appropriate) required by all approving agencies.

- c) Copies of County, ODOT and/or railroad right of entry permits (as applicable), including copies of permit conditions.

1.7 CITY REVIEW OF SUBMITTALS

- a. Except as may otherwise be indicated, the City will review the submittals with reasonable promptness for their compliance with the design concept and the PWDS and return each submittal to the Contractor with comments noted thereon. The City's maximum review period for each submittal or resubmittal will be 21 days.
- b. If the review indicates that the material or equipment is in general conformance with the design concept and complies with the Drawings and Specifications, submittal copies will be marked "REVIEWED". In this event the Contractor may begin to incorporate the material or equipment covered by the submittal.
- c. If the review indicates that limited corrections are required, the submittal will be marked "FURNISH AS CORRECTED". The Contractor may begin incorporating the material and equipment covered by the submittal in accordance with the noted corrections.
 - 1) Unless otherwise approved in writing by the City, the Contractor shall provide a written summary (*letter, memo or email*) confirming how each such "FURNISH AS CORRECTED" review comments will be addressed. A separate letter/memo/email shall be provided for each submittal (*subject line referencing the submittal number and title*), with confirmation of each applicable submittal review comment from the submittal review by the City, with numbering to match the applicable submittal review comment.
 - 2) If the requirement for written confirmation of "FURNISH AS CORRECTED" review comments is waived in writing by the City, no further action is required by the Contractor.
- d. If a submittal is returned marked "REVISE AND RESUBMIT", the Contractor shall revise it and shall resubmit the required number of copies to the City for review.
 - 1) Resubmittal of only portions of multi-page or multi-drawing submittals will not be allowed unless specifically requested or allowed by the City (in the submittal review). For example, if a Shop Drawing submittal consisting of 10 drawings contains one drawing noted as "REVISE AND RESUBMIT", the submittal as a whole is deemed "REVISE AND RESUBMIT", and 10 drawings are required to be resubmitted.
 - 2) However, if a submittal includes numerous different items, each of which was reviewed and commented on separately, only those noted as "REVISE AND RESUBMIT" need to be resubmitted.
- e. If a submittal is returned marked "REJECTED", it shall mean either that the proposed material or product does not satisfy the specification or the submittal is so incomplete that it cannot be reviewed. In such cases, copies will be returned to the Contractor for correction. The Contractor shall then resubmit the required number of copies of the corrected submittal.
 - 1) Any material or equipment on-site which is rejected by the City shall be removed from the job site by the Contractor within two (2) working days of notification of rejection of the submittal.

- f. Except at its own risk, the Contractor shall not undertake work covered by submittals marked as “REVISE AND RESUBMIT” or “REJECTED” until a new submittal is made and returned without exceptions.
- g. The City’s review of submittals is only for general conformance with the design concept of the project and general compliance with the information given in the approved design and the PWDS. Corrections or comments made on the submittals or shop drawings during this review (or absence of such corrections or comments) do not relieve the Contractor from compliance with the requirements of the plans and specifications. Approval of a specific item shall not include approval of an assembly of which the item is a component. Contractor is responsible for dimensions to be confirmed and correlated at the job site; information that pertains solely to the fabrication processes or to the means, methods, techniques, sequences and procedures of construction; coordination of his or her work with that of all other trades; and for performing all work in a safe and satisfactory manner.
- h. In the event that multiple reviews are performed on the same submittal (*or portions of the same submittal*) due to revisions, clarifications, duplicate submittals or other reasons, all submittal review comments are complementary and what is noted by any submittal review iteration shall be as binding as if noted on all.

PART 2: PRODUCTS

None.

PART 3: EXECUTION

None.

PART 4: SPECIAL PROVISIONS

4.1 SUBMITTAL REPORT FORM

- a. See following pages:

WESTECH ENGINEERING INC. SUBMITTAL REPORT

PROJECT: _____

FROM (Contractor): _____

TO: Public Works Director

COPIES: 1 for pdf submittals, or three (3) if hard copies are required by Public Works Director

SUBMITTAL NUMBER _____ (to be numbered sequentially by Contractor)

Category of Information being Submitted:

- EQUIPMENT/MATERIAL SUBMITTALS/SHOP DWGS
- MANUFACTURER'S DATA
- REPORTS
- METHOD STATEMENT
- INFORMATION FOR RECORD
- SAMPLES
- OTHER
- OPERATIONS&MAINTENANCE INFO

DESCRIPTION: _____

PWDS Division & Section: _____

CONTRACTOR:

I hereby certify that the material submitted has been checked for compliance with the approved drawings and any exceptions have been clearly noted.

Signed (Contractor's authorized representative)

Date

Printed Name

Title

ENGINEER-OF-RECORD:

I hereby certify that I have reviewed this submittal, and it is in compliance with the design concept, the approved drawings and PWDS requirements, except as clearly noted.

Signed (Engineer of Record)

Date

RESPONSE TO SUBMITTAL (by City):

- REVIEWED
- FURNISH AS CORRECTED
- REJECTED
- REVISE AND RESUBMIT
- SEE ATTACHED LETTER, ____ / ____

Checking is only for general conformance with the design concept of the project and general compliance with the information given in the approved design and the PWDS. Corrections or comments made on the submittals or shop drawings during this review (or absence of such corrections or comments) do not relieve the contractor from compliance with the requirements of the plans and specifications. Approval of a specific item shall not include approval of an assembly of which the item is a component. Contractor is responsible for dimensions to be confirmed and correlated at the job site; information that pertains solely to the fabrication processes or to the means, methods, techniques, sequences and procedures of construction; coordination of his or her work with that of all other trades; and for performing all work in a safe and satisfactory manner.

Signed

Date

Printed Name

